



Southern Watch and Clock Supplies Ltd

SEKONDA

FULLY JEWELLED LEVER

Movements Identification Manual



ПОЛЕТ • POLJOT



ВОСТОК • WOSTOK



РАКЕТА • RAKETA



СЛАВА • SLAVA



ЗАРЯ • ZARIA



ЛУЧ • LUCH



ЧАЙКА • CHAIKA





МОЛНИЯ • MOLNIA

Southern Watch & Clock Supplies Ltd


PRECISTA HOUSE, 48-56 HIGH STREET, ORPINGTON, KENT BR6 0JH
Tel: Orpington (0689) 24318 Telex: 896326 Telegrams: Southern Orpington

SOS-PR-2B-2 (SPORTS STOP WATCH -74)


„AGAT“ - „AGAT“ 4282.



AGAT 4295



100



106



5101



108



116



121



125



5750



5106



5108



5116
5121



5125
58076



175



180/1



195



770



212/1



223/1



301



311



5311
5330



330



355



356



401



5461



411



415



5415



420




425



5425



430




705




710



714



720



721



723



730



734



736



738



5738



740




8022/1



8023



58023




8051



8070/1



58070/1



8076



8140

58140
58180
58335
58350



8180



8219/2



8229



8260



8262



58262



8325



58325



8335



8350



604

611

616

621

631




603

610

6532




58229



615



620



630



645


647

648

646

LUCCH CALIBRE 1301

WITHOUT SECOND HAND,
SHOCKPROOF DEVICE,
LEVER ESCAPEMENT,
17 RUBY JEWELS,
SWING PERIOD-0.333sec,



5750/1



5750



5110
5105
5121/1



5708



5125



770



5415



422

5420



708

740
743

4H-851M-86

240

443

458

260

498

425

5425

736

714

445

5445

479



407

848

645/N
645/1

802

440



620

648

648


647

646

645/N
645/1

631


601



17 JEWELS

LUCH CALIBRE 1809

Sweep second, shockproof device, lever escapement, 17 rubies, swing period 0.333 s. (1/3 s.)



100



105

575

5105
5110
5101
5121/3



110



121/3

5738



125



5125



307



307/1

355

356



180/1




185



190



195



770



420



5420



415

5415

423

414



732



201/1



210



227



242



255



260



705



720



721



728



710



714



733

738



736



740
741



730



324
325



425



466



430



401



407



410



443



440



435



5445



445



450



5462



462



498

4H-136M-22


5425

631
630

648

645/1
645/2

647 648



629

614

621

604

616



628



615

612





603



620

LUCH CALIBRE 1814

Sweep second, shockproof device, calendar, lever escapement,
17 rubles, swing period 0.333 s. (1/3 s.)









LUCH

CALIBRE

2209


Sweep second, shockproof device, lever escapement, 23 rubies, swing period 0.4 s.



4H-6DM-44

CHAIKA

CALIBRE 1301



WITHOUT SECOND HAND,
SHOCKPROOF DEVICE,
LEVER ESCAPEMENT,
17 RUBY JEWELS,
SWING PERIOD-0.333sec,
Φ13mm, H=3.6mm.



100

5105
5110
5121/3



105



110



121/3



125



5125



498



5750



415



5415



420



5420



422



180



185



190



195



425



5425



430



435



440



442



502



478



445



5445



5478



201



203



220



250



260



240



450



407



410



401



705



710



714



721



720



728



730



734



736




738



770

5738



604

611

616

984140019

984140013

621



601

610



740

741

620

630

631



324



325



307



307/i



647



648



643/i


645/M

CHAIKA

CALIBRE 1601A

WITHOUT SECOND HAND;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
17 RUBY JEWELS;
SWING PERIOD 0.4 SEC.


∅ 16 mm; H=3,5 mm



100




105



110



121



125



125



604

611

616

621

631



210



220



201



240



250



250



450



301



311



5311



330



5330



601



615

610

603



401



407



410



415



5415



420



5420



425



430



5425



435



479



440



445




443



502



5445



630



620



645/11



705



710



714



720



721



723



730



734



738



736



5738



645/1



646



547



648


MOLNIA 3602



100

5750

5101



105

5105
5110
5122/5
5116



110



122/5

5750/1



116



125

5125



180



185



190



195



201
201/2



210



224



240
240/1



250
250/1



260



302

311

5311



330

5423
5330
5445



336

5336



346

5346

358



359

5359



401
401/1

407

410

414



415

5415



420

423

425

5425

430



435

440

443

5443



445

5739

450

451

498



702



710

714



720

5720
5721



722

723

730/1




735

737


739

748



631

621



601

610

603



615/1



620



630



770

604

611

616/1

645/1

645/3

645/4

645/13

646



647

648


POLJOT CALIBRE 2409

**SWEEP SECOND;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
17 & 21 RUBY JEWELS;
SWING PERIOD 0.4 SEC**

Ø 24 mm; H=4,3 mm



501



105

5750



110

5462



265

5105
5110
5122/1
5125
5415
5475



122/1



125

5125



180/1



185

195



770



190




205



210



227



245

255

260

301

325

324

495

5325

401

407

410

415

355

420

423

5425

425

5423

430

435

440

443

502

445

450

462



478

458



704

710

714

720

722

728

730

735

737

739

5739

5720


356



621


624

516



601

614



603

512

3920

620

646

647

648

POLJOT

CALIBRE 2609



**SWEEP SECOND,
LEVER ESCAPEMENT,
17 RUBY JEWELS,
SWING PERIOD-0.4 sec,
Ø26mm, H=3.2mm.**



100



105



110



121/3



125



126



180/1



185



190



195



200



210



227



228



245



255



260



307/1



322



323



355



356



307



401



407



410



415



420



423



424



425



430



435



440



443



445



450



457



462



495



498



705



710



714



720



721



728



730



732



734



736



738



770



501



5105

5110

5121/3



5125

5128

5445



5228



5423



5415



5420



5424



5425



740

821

846

823

824

823

823

823

823

823

823

823

823

823

823

823

823

823

823

823

823

823



603



612



620



601



630



631



645/1



645/N




646



647



648



603



612



620



601



630



631



645/1



645/N



646



647



648



5488



5482



5738



5760

POLJOT 2415



100
 105
 110
 121/1
 125
 129
 180/2
 185
 190
 195
 200/1
 241
 243
 255
 260
 275
 301
 324 325
 355
 356
 401
 407
 420
 422
 425
 430
 435
 440
 443
 445
 450
 452
 498
 501
 5105
 5110
 5121/1
 51142
 51750
 5476
 5445
 5125
 5129
 5479
 5462
 5730
 705
 710
 720
 721
 728
 734
 736
 738
 5720
 620
 646
 647
 648
 645/1
 645/11
 612
 615
 616
 604
 611
 614
 614
 629
 634
 628
 630
 631
 633
 643
 645
 663
 664
 665
 666
 667
 668
 669
 670
 671
 672
 673
 674
 675
 676
 677
 678
 679
 680
 681
 682
 683
 684
 685
 686
 687
 688
 689
 690
 691
 692
 693
 694
 695
 696
 697
 698
 699
 700
 701
 702
 703
 704
 705
 706
 707
 708
 709
 710
 711
 712
 713
 714
 715
 716
 717
 718
 719
 720
 721
 722
 723
 724
 725
 726
 727
 728
 729
 730
 731
 732
 733
 734
 735
 736
 737
 738
 739
 740
 741
 742
 743
 744
 745
 746
 747
 748
 749
 750
 751
 752
 753
 754
 755
 756
 757
 758
 759
 760
 761
 762
 763
 764
 765
 766
 767
 768
 769
 770
 771
 772
 773
 774
 775
 776
 777
 778
 779
 780
 781
 782
 783
 784
 785
 786
 787
 788
 789
 790
 791
 792
 793
 794
 795
 796
 797
 798
 799
 800
 801
 802
 803
 804
 805
 806
 807
 808
 809
 810
 811
 812
 813
 814
 815
 816
 817
 818
 819
 820
 821
 822
 823
 824
 825
 826
 827
 828
 829
 830
 831
 832
 833
 834
 835
 836
 837
 838
 839
 840
 841
 842
 843
 844
 845
 846
 847
 848
 849
 850
 851
 852
 853
 854
 855
 856
 857
 858
 859
 860
 861
 862
 863
 864
 865
 866
 867
 868
 869
 870
 871
 872
 873
 874
 875
 876
 877
 878
 879
 880
 881
 882
 883
 884
 885
 886
 887
 888
 889
 890
 891
 892
 893
 894
 895
 896
 897
 898
 899
 900
 901
 902
 903
 904
 905
 906
 907
 908
 909
 910
 911
 912
 913
 914
 915
 916
 917
 918
 919
 920
 921
 922
 923
 924
 925
 926
 927
 928
 929
 930
 931
 932
 933
 934
 935
 936
 937
 938
 939
 940
 941
 942
 943
 944
 945
 946
 947
 948
 949
 950
 951
 952
 953
 954
 955
 956
 957
 958
 959
 960
 961
 962
 963
 964
 965
 966
 967
 968
 969
 970
 971
 972
 973
 974
 975
 976
 977
 978
 979
 980
 981
 982
 983
 984
 985
 986
 987
 988
 989
 990
 991
 992
 993
 994
 995
 996
 997
 998
 999
 1000

POLJOT

CALIBRE 2609. H



Sweep second hand, shock-protecting device, lever escapement, 17 ruby jewels, swing period 0.333 s



5101

5750



105



121/3

110

5105
5110
5121/3



125



111

100

5125
5111



180/1



185



190



195



206



203



227

T



245

255



260



307



301



630/8
631/8



355



356



401



407



410



412



416

T



5415

420



423



5420



425



430



435



440



443



445



479



450



462



498



705



710



714



721




5425

5445

770

5462

5738





646

647



8336

648




392




630 645/1
631 645/11

POLJOT 2612




POLJOT

CALIBRE 2614



SWEEP SECOND,
SHOCKPROOF DEVICE,
CALENDAR,
17 RUBY JEWELS,
SWING PERIOD — 0.4 SEC,
Ø 26 mm, H = 3.8 mm.



„ПОЛЕТ“ ● ”POLJOT”

КАЛИБР
CALIBRE
WERKKALIBER
CALIBRE
CALIBRE

2614В

Центральная секундная стрелка, противоударное устройство, календарное устройство, 17 рубиновых камней, период колебания 0,4 сек

Sweep second, shockproof device, calendar, 17 rubies, swing period — 0.4 sec

Zentrumsekundenzeiger, Stoßsicherung, Kalendervorrichtung, 17 Rubinsteine, Schwingungsdauer der Unruh 0,4 sek


Aiguille de seconde au cente, dispositif anti-choc, calendrier, 17 rubis, période d'oscillation: 0,4 s

Segundero central, dispositivo amortiguador, calendario, 17 rubies, periodo de oscilación 0,4 seg

Калибр ►
Calibre
Werkkaliber
Calibre
Calibre

2614В

Ø 26 мм (mm),
H=3,8 мм (mm)




POLJOT


CALIBRE 2616



SWEEP SECOND,
SHOCKPROOF DEVICE,
AUTOMATIC DEVICE,
30 RUBY JEWELS,
CALENDAR,
SWING PERIOD—0.363sec,
Φ26mm, H=5.1mm.



POLJOT 3017




100



5101




5751



106



118



5121
5106
5118



121



125



5125



180/1



185



195



770



190



206



210



225



240



250



260



301



356



355



311



5311



330



401



407



410



412



415



5415



420



423



5330
5423



425



5425



430



435



440




5443



443



445



58281
5445
58335
58350/2



450



498



705



710



714



720



721



723



730



734



736



738




5720




5738



741



04 611 616 621 631



603



615 610



630



620



8532 8530



8534



8535



645/11



645/1



646



647



648



8000



8001



8002



8005



8008



58002



8022



8024



8040



8041



58022



8070




8080



8081



8082



8083



8120




8140



58200
58240



8139



8141



58141



8180



8200



8219/2



8220



58219/2



8240



8241



8270



8271



58270



8281



8290



8320



8335



58082



8336



8350/2



8500



58290



8890



8355



58139



58070



58080



58500





58140




58271

RAKETA 2209




RAKETA

CALIBRE 2609



**SWEEP SECOND;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
17 RUBY JEWELS;
SWING PERIOD 0.4 SEC.**





Ø26 mm; H=4,5 mm.

Exploded view diagram of the watch movement showing various components and their part numbers:

- 304
- 325
- 302
- 404
- 497
- 418
- 420
- 423
- 5420
- 445
- 443
- 502
- 435
- 440
- 646
- 647
- 648
- 601
- 603
- 612
- 615
- 600
- 705
- 728
- 730
- 720
- 777
- 714
- 710
- 705
- 430
- 425
- 425
- 5105
- 5110
- 5122/1
- 5425
- 5445
- 425
- 450
- 100
- 415
- 770
- 180/1
- 245
- 206
- 203
- 227
- 255
- 280
- 630
- 645/1
- 631
- 645/1
- 5750
- 105
- 110
- 126
- 122/1
- 5739
- 125
- 462
- 5125
- 602
- 621
- 616
- 604




RAKETA CALIBRE 2614

Sweep second hand, shock-protecting device, calendar, oil-retainer studs, lever escapement, 19 ruby jewels, swing period 0.4 s





RAKETA - CALIBRE 2628

Sweep second hand, shock-protecting device, calendar, oil-retainer studs, lever escapement, 19 ruby jewels, swing period 0.4 s







SLAVA

CALIBRE **1601**




WITHOUT SECOND HAND;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
17 RUBY JEWELS;
SWING PERIOD 0.33 SEC.

SIZE 16 mm; H=3,6 mm





SLAVA CALIBRE 1809

Sweep second, shockproof device, lever escapement, 16 rubies, swing period 0.333 s. (1/3 s.)



SIAWA CALIBRE 2414


Sweep second, shockproof device, lever escapement, 21 rubles, calendar, swing period 0.4 s.



740



180/1



195



200/1



203

100



105



110



111



121



125



324



401



407



410



245



242



250



260



276



301









307



324



325



425

430

435

440

443

445

450

452

462

495

498

705

710

714

720

721



728

730

733

736

738

770

2556

2566

2376

2585/1

5110

5111

5125

5330

5413

5420

5425

5445

5738

5750

7147


7434

8336

52566

57147

4H-115M-18



602

604

611

601

603

601

610

615

620

630

631

645

646





647

648

SIAWA

CALIBRE 2428

Sweep second hand, lever escapement, shock-protecting device, calendar, 26 ruby jewels, swing period 0.4 s



2585/1

5462

5738

5105
5110
5111
5121/3

5445

52535

52555

52566

52539

5420

5425

2539

705

710

714

721

728

730/1

770

8336

2535

495

498

519

630/8
531/8

645

645/1
645/11

645

647

648

392

415

420

422

423

425

430

435

440

443

445

450

452

462

195

201/1

203

227

228

242

260

307

301

324

325

407

410

100

645

645

105

110

111

121/3

125




180/1

WOSTOK

CALIBRE 2209

SWEEP SECOND;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
18 RUBY JEWELS;
SWING PERIOD 0.4 SEC.

Ø 22 MM; H=3,2MM




WOSTOK


CALIBRE 2214

**SWEEP SECOND; CALENDAR;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
18 RUBY JEWELS;
SWING PERIOD 0.4 SEC.**

Ø 22 mm; H=4,4 mm



- 172 |
- 175 |
- 5750 |
- 325 ●
- 5325 ?
- 5101 ?




- 414 ●
- 420 ●
- 418/1 ●
- 5105 ?
- 5140 ?
- 5122/1 ?



- 324 ●
- 698 ●
- 699 ●
- 5739 ?
- 356 |
- 302 ○


- 100 ●
- 125 ●
- 182 ●
- 770 ●
- 185 ●
- 190 ●
- 195 ●
- 200/1 ●
- 201/1 ●
- 243 ●
- 211 ●
- 220 ●
- 275 ●
- 230 ●
- 705 ●
- 701 ●
- 180/1 ●
- 714 ●
- 722 ●
- 720 ●
- 719 ●
- 728 ●
- 5719 ●
- 730 ●
- 735 ●
- 733 ●
- 732 ●
- 737 ●
- 740 ●
- 741 ●
- 445 ●
- 401 ●
- 443 ●
- 479 ●




- 603
- 610
- 612
- 615
- 620

- 47
- 407
- 435
- 440
- 450
- 453
- 760
- 476
- 462
- 5462
- 5445
- 5453
- 5476
- 5479
- 245
- 255
- 502
- 630
- 631
- 645/1
- 645/11
- 646
- 647
- 648

WOSTOK 2409



100



5750



420



418/1



5420



415



5415



430



425



5425



125



5125



325



5330



5101



110



5105

5110

5121/1



121/1



324



698

699



307



301



180/1




182



771



185



190



195



205



206



210



220



245



705




230




275



710



721



720



728



730



740



738



733



445



401



443



502



410



407



435



440



450



260



255




471



5445/1



498




602

604

611

621

616



615

610

603




801

802




630

631



645/1

645/11



646

647

648

620

ZARIA

CALIBRE 1509

**SWEEP SECOND; SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT; 17 RUBY JEWELS;
SWING PERIOD 0.4 SEC.**



Ø 15 MM; H = 3,75 MM



100



105



110



121/1



5105
5110
5121/1



125



5125
5325
5445



182



195



770



201/1



203



227



242



255



260



300



301



325



401



407



410



415



5415



420



423



5420



425



5425



430



435



440



443



445



450



462



5462



479



5479



502



705



710



714




720



721




724



629

616

621



628



603

612

615



734



324



5738



620



646




647



648

ZARIA

CALIBRE 1601



WITHOUT SECOND HAND;
SHOCK-PROTECTING DEVICE;
LEVER ESCAPEMENT;
17 RUBY JEWELS;

Ø 15 X 17.75 mm H = 3.4 mm



100



105



110



121/3



125



5105
5110
5121/3



5125



420



423



5420



415



5415



180



185



190



195



425



430



5425



435



440



443



502



479



5479



445



5445




410



407



401



170



201



203



220



250



260



240



450



705



710



714



720



721



728



730



734



307/1



375



324




325




546



647



602
604
611
616
621



603
610
615



620



601



8936

ZARIA

CALIBRE

1801




100



105

5105
5110

5121/1



110



121/1

5738

125

5445
5125
5330



180/1



185



190



195




201



210



220



240



250




260




301



324




325



443



445



450



458



705



710



714



720




721




721




724




730/1



733



738



740


5750

846

847

848

4H-15M-136




804

811

816

821



601


603

610

615



820



770

ZARIA

CALIBRE 2014



SWEEP SECOND,
SHOCKPROOF DEVICE,
22 RUBY JEWELS,
CALENDAR,
LEVER ESCAPEMENT,
SWING PERIOD-0.4sec,
Ø20mm, H=3.7mm.



100



105

5105
5110
5111
5129
5121/1



110



111



121/1



5738



125

5125



129



189/1



185



190



195



200/1



211



220



228



245



260



275



301



324



325



401



407



410



415



5415



420
424



5420



5424
5425



422



425



430



435



440



443



445



450



451



462



5462
52551



479



5479



499



714



720



721



724



730/1



733



738



740



5750




615



610



603



601
612



2515



52515




2551



2558



2566



2576

2572

2575

770



502



705



710



633



620



2585/1



2615



646



647



648



5101

